

Pintel Publications.

1. [Dong Y, Fasina OO, PintelDJ](#). 2018. Minute Virus of Canines NP1 protein interacts with the cellular factor CPSF6 to regulate viral alternative RNA processing. *J Virol*. 2018 Oct 24. pii: JVI.01530-18. doi: 10.1128/JVI.01530-18. [Epub ahead of print] PMID:30355695
2. [Dong Y, Fasina OO, PintelDJ](#). 2018. The Human Bocavirus 1 NP1 Protein Is a Multifunctional Regulator of Viral RNA Processing. *J Virol*. 2018 Oct 29;92(22). pii: e01187-18. doi: 10.1128/JVI.01187-18. Print 2018 Nov 15. PMID:30135129
3. [Majumder K, Wang J, Boftsi M, Fuller MS, Rede JE, Joshi T, PintelDJ](#). 2018. Parvovirus minute virus of mice interacts with sites of cellular DNA damage to establish and amplify its lytic infection. *Elife*. 2018 Jul 20;7. pii: e37750. doi: 10.7554/eLife.37750. PMID:30028293
4. [Majumder K, Etingov I, Pintel DJ](#). 2017. Protoparvovirus interactions with the cellular DNA damage response. *Viruses*. 2017 Oct 31;9(11). pii: E323. doi: 10.3390/v9110323. Review. PMID:29088070
5. [Fuller MS, Majumder K, Pintel DJ](#). 2017. Minute Virus of Mice Inhibits Transcription of the Cyclin B1 Gene during Infection. *J Virol*. 2017 Jun 26;91(14). Pii:300428-17. Doi:10.1128/JVI.00428-17. Print 2017 Jul 15. PMID:29446681
6. [Fasina OO, Stupps S, Figueroa-Cuilan W, Pintel DJ](#). 2017. Minute Virus of Canines NP1 Protein Governs the Expression of a Subset of Essential Nonstructural Proteins via Its Role in RNA Processing. *J Virol*. 2017 May 26;91(12). Doi: 10.1128/JV.00260-17. Print 2017 Jun 15. PMID:28356522
7. [Mascarenhas JX, Korokhov N, Burger L, Kassim A, Tuter J, Miller D, Borgschulte T, George HJ, Chang A, Pintel DJ, Onions D, Kayser KJ](#). 2016. Genetic engineering of CHO cells for viral resistance to minute virus of mice. *Biotechnol Bioeng*. 2016 Sep 19. doi: 10.1002/bit.26186. [Epub ahead of print] PMID:27642072
8. [Fasina OO, Dong Y, Pintel DJ](#). 2015. NP1 Protein of the Bocaparvovirus Minute Virus of Canines Controls Access to the Viral Capsid Genes via Its Role in RNA Processing. *J Virol*. 2015 Dec 4;90(4):1718-28. doi: 10.1128/JVI.02618-15. PMID:26637456
9. [Adeyemi, R.O. and D.J. Pintel](#). 2014. The ATR signaling pathway is disabled during infection by the parvovirus minute virus of mice. *J Virol*. 2014 Jun 25. pii: JVI.01412-14. [Epub ahead of print] PMID:24965470 [PubMed - as supplied by publisher]
10. [Adeyemi, R.O., Fuller, M.S., and D.J. Pintel](#). 2014. Efficient parvovirus replication requires CRL4Cdt2-targeted depletion of p21 to prevent its inhibitory interaction with PCNA. *PLoS Pathog*. 2014 Apr 3;10(4):e1004055. doi: 10.1371/journal.ppat.1004055. eCollection 2014 Apr. PMID: 24699724 [PubMed - in process]
11. [Adeyemi, R.O., and D.J. Pintel](#). 2014. Parvovirus-induced depletion of cyclin B1 prevents mitotic entry of infected cells. *PLoS Pathog*. 2014 Jan;10(1):e1003891. doi: 10.1371/journal.ppat.1003891. Epub 2014 Jan 9. PMID: 24415942 [PubMed - in process]
12. [Cotmore, S.F., Agbandje-McKenna, M., Chiorini, J.A., Mukha, D.V., Pintel, D.J., Qiu, J., Soderlund-Venermo, M., Tattersall, P., Tijssen, P., Gatherer, D., and A.J. Davison](#). 2014. The family Parvoviridae. *Arch Virol*. 2014 May;159(5):1239-47. doi: 10.1007/s00705-013-1914-1. Epub 2013 Nov 9. PMID:24212889 [PubMed - indexed for MEDLINE]
13. [Sukhu, L., Fasina, O., Burger, L., Rai, A., Qiu, J., and D.J. Pintel](#). 2013. Characterization of the nonstructural proteins of the bocavirus minute virus of canines. *J Virol*. 2013 Jan;87(2):1098-104. doi: 10.1128/JVI.02627-12. Epub 2012 Nov 7. PMID:23135724 [PubMed - indexed for MEDLINE]
14. [Fasina, O., and D.J. Pintel](#). 2013. The adeno-associated virus type 5 small rep proteins expressed via internal translation initiation are functional. *J Virol*. 2013 Jan;87(1):296-303. doi: 10.1128/JVI.02547-12. Epub 2012 Oct 17. PMID:23077303 [PubMed - indexed for MEDLINE]

15. [Sukhu, L., Fasina, O., Burger, L., Rai, A., Qiu, J., and D.J. Pintel](#). 2012. Characterization of the non-structural proteins of the bocavirus minute virus of canine (MVC). *J. Virol.* 2012 Nov. 7. Epub ahead of print.
16. [Fasina, O. and D.J. Pintel](#). 2012. The adeno-associated type 5 (AAV5) small Rep proteins expressed via internal translation initiation are functional. *J. Virol.* 2012 Oct. 17. Epub ahead of print.
17. [Adeyemi, R.O. and D.J. Pintel](#). 2012. Replication of minute virus of mice in murine cells is facilitated by virally induced depletion of p21. *J. Virol.* 86(15):8328-32.
18. [Venkatesh, L.K., Fasina, O. and D.J. Pintel](#). 2012. RNAse mapping and quantitation of RNA isoforms. *Methods Mol Biol.* 883:121-9.
19. [Li, L. and D. Pintel](#). 2012 Splicing of goose parvovirus pre-mRNA influences cytoplasmic translation of the processed mRNA. *Virology* 426(1):60-5.
20. [Sukhu, L., and D. Pintel](#). 2011. The large Rep protein of adeno-associated virus type 2 (AAV2) is polyubiquitinated. *J. Gen Virol.* 92:2792-6.
21. [Adeyemi, R.O., S. Landry, M.E. Davis, M.D. Weitzman, and D.Pintel](#). 2010. Parvovirus minute virus of mice induces a DNA damage response that facilitates viral replication. *PLoS Pathog*, 2010 Oct 7; 6(10).
22. [Chen, AY, F. Cheng, S. Lou, Y. Luo, Z. Liu, E. Delwart, D. Pintel, and J. Qiu](#). 2010. Characterization of the gene expression profile of human bocavirus. *Virology* 403:145-154.
23. [Cheng, F, A.Y. Chen, S.M. Best, M.E. Bloom, D. Pintel, and J. Qiu](#). 2010. The capsid proteins of Aleutian mink disease virus (AMDV) activate caspases and are specifically cleaved during infection. *J.Virol.* 84 2687-96.
24. [Farris, K.D., O. Fasina, L. Sukhu, L. Li, and D. J. Pintel](#). Epub 11/4/2009. The adeno-associated virus (AAV) small Rep proteins are modified with at least two types of polyubiquitination. *J. Virol.* 84:1206-1211.
25. [Farris, K.D. and D.J. Pintel](#). Epub 11/4/2009. Adeno-associated virus type 5 (AAV5) utilizes alternative translation initiation to encode a small Rep40-like protein. *J. Virol.* 84:1193-1197.
26. [Li L, J. Qiu, and D. J. Pintel](#). 2009. The choice of translation initiation site of the rep proteins from goose parvovirus P9-generated mRNA is governed by splicing and the nature of the excised intron. *J. Virol.* 83:10264-8.
27. [Narvaiza I, D.C. Linfesty, B.N. Greener, Y. Hakata, D.J. Pintel, E. Logue, N.R. Landau and M.D. Weitzman](#). 2009. Deaminase-independent inhibition of parvovirus by the APOBEC3A deaminase. *PLoS Pathog.* May 5(5):e1000439. Epub 2009 May 22.
28. [Kakkola L, K. Hedman, J. Qiu, D. Pintel, and M. Söderlund-Venermo](#). 2009. Replication of and protein synthesis by TT virus. *Curr Top Microbiol Immunol.* 331:53-64.
29. [Choi, EY, and D. Pintel](#). 2009. Splicing of the large intron of the nonstructural gene of minute virus of mice is governed by TIA-1/TIAR binding downstream of the nonconsensus donor. *J Virol.* 83:6306-11.
30. [Lin, F., G. Guan, F. Cheng, N. Yang, D. Pintel, and J. Qiu](#). 2008. ELISAs using human bocavirus VP2 virus-like particles for detection of antibodies against HBoV. *J. Virol Methods.* 149(1):110-17.
31. [Guan, W, F. Cheng, Y. Yoto, S. Kleiboeker, S. Wong, N. Zhi, D. Pintel, and J. Qiu](#). 2008. A block to the production of full length B19 transcripts by internal polyadenylation is overcome by replication of the viral genome. *J. Virol.* 82:9951-63.
32. [Farris, KD, and D. Pintel](#). 2008. Improved splicing of the AAV capsid protein-supplying pre-mRNAs leads to increased rAAV vector production. *Hum Gene Ther.* 19:1421-1427.
33. [Nayak, R., K. D. Farris, and D. J. Pintel](#). 2008. E4Orf6-E1B-55k-dependent degradation of de novo-generated AAV5 Rep52 and capsid proteins employs a cullin 5-containing E3 ligase complex. *J. Virol.* 82:3803-8.

34. [Qui, J., and D. Pintel.](#) 2008. Processing of adeno-associated virus RNA (Review). *Front Biosci.* 13:3101-15.
35. [Ye, C. and D. Pintel.](#) 2008. The transcription strategy of bovine adeno-associated virus (B-AAV) combines features of both adeno-associated virus type 2 (AAV2) and type 5 (AAV5). *Virology* 370:392-402.
36. [Qiu, J., F. Cheng, F.B. Johnson, and D. Pintel.](#) 2007. The transcription profile of the Bocavirus bovine parvovirus is unlike previously characterized parvoviruses. *va rna. J. Virol.*81:12080-5.
37. [Nayak, R, and D. Pintel.](#) 2007. Adeno-associated viruses can induce phosphorylation of eIF2a via PKR activation which can be overcome by helper Ad5 VA RNA. *J. Virol.* 81:11908-16.
38. [Qiu J, F. Cheng, and D. Pintel.](#) 2007. Distance-dependent processing of adeno-associated virus type 5 RNA is controlled by 5' exon definition. *J Virol.* 2007 Aug;81(15):7974-84.
39. [Qiu, J., F. Cheng, and D. Pintel.](#) 2007. The abundant R2 mRNA generated by the Aleutian Mink Disease Parvovirus is tri-cistronic, encoding NS2, VP1, and VP2. *J. Virol.* 81(13):6993-7000.
40. [Ye, C. and D.J. Pintel.](#) 2007. Upstream AP1 and CREB-binding sites confer high basal activity to the adeno-associated virus type 5 capsid gene promoter. *J. Virol.* 81:2605-2613.
41. [Nayak, R. and D.J. Pintel.](#) 2007 Positive and negative effects of adenovirus type 5-helper function on adeno-associated virus type (AAV5) protein accumulation. *J. Virol.* 81:2205-2212.